

DENTAL UNITS

Inovadent Veterinary Dental Cart
Our most complete system and best value.



Complete all in one unit moves easily from room to room. Includes high speed and low speed handpieces, 3 way air/water syringe with quick change autoclavable tip, and a built-in Pet Piezo scaler unit w/ 3 tips.

Automatic pressure adjustment for each handpiece. Non-retracting water coolant on/off switch and flow control. Clean water toggle with quick-disconnect outlet for extra scaler.

Dual 1 liter water system for clear water and chlorhexidine anti-bacterial solution at the flip a switch, with quick disconnects for easy change out.

Two stage oil and water filter assembly with manual drains to prolong the life of the handpieces. Easy access storage cabinet measures 20" x 20" with 6 outlet electric strip and self closing lid adjusts between 27" - 36 high. All mounted on durable U frame powder coated finish base for extra stability. 22 W x 18"D. Includes 3 Klaw® scaling tips (#1, 4 & 6), 2 #701 burs and prophylax paste.

Designed for years of trouble free use, but also includes a unique detachable component module that allows for a replacement to be installed easily in the event a repair is needed. This unique feature greatly reduces the chance of any down time and eliminates the need for repair service or return.

- 2701. With Piezo Scaler and Fiberoptics handpiece\$7,665.00
- 4709. VersaCart- same as above with suction\$8,790.00
- 2714. Refill Compressor oil\$69.95

High Speed Portable Table Top Electric Dental Unit

Ultima Dental and Bien-Air® have developed the first electric driven dental machine specifically dedicated to small animal and equine dentistry. This breakthrough product provides the profession with a dedicated Ultima platform in conjunction with Bien-Air® Swiss electric handpiece technology. The compact system's electric handpiece delivers consistent torque differing significantly from air driven dental systems that can lose more than 50% of its speed when in contact with the surface to be cut. 5 year warranty, 1 year on handpieces.



Ultima Dental Electric E-Series features:

- Consistent handpiece torque
- No brushing techniques when contacting dental surface as the handpiece maintains speed regardless of pressure
- Rapid wrist motion is eliminated relating to hand, wrist and arm fatigue
- Complete system – new oil free mini-compressor used to cool handpiece and pressurize the water system
- No plumbing required
- Speed control to dial in your preferred speed
- Precision - dental cuts will be more precise as the cutting bur does not need to leave the cutting surface
- No Handpiece Vibration
- Precise Speed - using either the power dial or the variable speed foot control
- Minimal Maintenance - only need to oil and maintain the handpieces
- Small Footprint 26" x 17" x 16"
- Weighs 30 lbs.

Includes:

- 1 - 40,000 RPM electric handpiece
- 1 - 1:1 straight nose cone for speeds of 100 to 40,000 RPMs
- 1 - 5:1 contra angle for speeds of 10,000 to 200,000 RPMs
- 1 Satelec® LED Piezo Scaler
- 1 - 3 way water, air and mist syringe
- 2 - 1 liter water bottles

4710.....\$10,150.00

The Ultima 500 Series

Designed with a custom fiberglass shell that is durable, easy to maintain and clean. Mobile unit fits under most standard countertops for easy storage after use. Gives unmatched performance with state of the art super silent surge oil compressor proven to last the test of time. Automatically vents the air holding tank into a collection bottle every 30 minutes the unit is connected to an electrical outlet. Venting the holding tank on a compressor is part of regular maintenance that is often overlooked because it must be done manually on other dental units.



This feature extends the life of the compressor by preventing the holding tank from rusting and rupturing. Ultima 500 I model is powered by a 1/2 horsepower single pump compressor and Ultima 500 II model is powered by a 1 horsepower dual pump compressor and includes a heavy duty suction system. All units include an Ultima Starter Pack with (10) Disposable twist prophylax angles (12) friction grip burs #'s - 2, 4, 8, 558, 559, 701 and 702 (1) handpiece oil pen. 5 year warranty, 1 year on handpieces.

Complete models include: low-speed 4:1 polisher handpiece, LED push button high-speed handpiece, built-in Satelec LED piezo scaler with 3 tips.

- DTP00568. Ultima 500 I (Complete).....\$7,950.00
- DTP00540. Ultima 500 II (Complete w/ Suction System)\$9,475.00
- UDU5001NL. Ultima 500 I (No Lights).....\$6,395.00
- UDU5002NL. Ultima 500 II (No Lights).....\$7,910.00

The Ultima 250 Series

Designed with an all-aluminum body that is durable and easy to maintain. Two versatile applications to choose from, arm mounted or table-top. Great for practices with minimal workspace, mobile clinics on the go, or great as a second



dental unit to boost productivity. This sleek and compact unit gives unmatched performance during cleaning and extraction procedures. All options include 3 hand-piece automatic control, 3-way air/water syringe, and (2) 1L water bottles and quick disconnect fittings to operate with compressed air or nitrogen. Also includes Ultima Starter Pack with (10) Disposable twist prophylaxis angles (12) friction grip burs #s - 2, 4, 8, 558, 559, 701 and 702 (1) handpiece oil pen. 5 year warranty, 1 year on handpieces.

NL (No Lights) models include: low-speed 4:1 polisher handpiece, push button high-speed handpiece, built-in piezo scaler with 3 tips.
 UDU250TTNL. Ultima 250 Table-Top (No Lights)\$4,800.00
 UDU250ARMNL. Ultima 250 Arm (No Lights).....\$4,525.00

Complete models include: low-speed polisher handpiece; LED push button high-speed handpiece, built-in Satalec LED piezo scaler with 3 tips.
 DTP00530. Ultima 250 Table-Top (Complete).....\$6,370.00
 DTP00520. Ultima 250 Arm (Complete).....\$6,485.00

Inovadent™ HS4W Dental Work Station

A complete package for countertop use that provides all the necessary handpieces for small animal dentistry in a compact, portable, sturdy design. Capable of different configurations with either a remote compressor or nitrogen tank operation. Measures 14" x 15" x 17" (20" with handpieces) and weighs 21 lbs.



- Features include:
- One push button High Speed handpiece with fiber-optics
 - One Low Speed handpiece with forward and reverse options
 - One Air/Water Syringe with autoclavable tip
 - One ultrasonic Piezo scaler (23,000-32,000 Hz) with 3 KLAU™ Tips
 - Automatic selection handpiece holders
 - High Speed water coolant on/off switch and adjustable flow control valve
 - Adjustable hand tool pressure
 - Dual water/chlorhexidine bottle system
 - Water bottle pressure relieving valve
 - Auxiliary water outlet for additional scaler
 - Easy access for maintenance

4708.....\$4,485.00

Inovadent Mounted or Table Top Dental Units

Built-in high speed systems are available in several different models and configurations. They may be attached to walls, counter tops, post mounts, under work tables or set on counter tops on their own stands. Mounts are sold separately to accommodate individual preference. All units will operate with a remote compressor or Nitrogen tank. Compressor systems to satisfy any requirement are available. Please call with your specific needs for price quotation.



All units include:

- Flexible aseptic tubing
- Automatic handpieces
- Individual pressure adjustments
- Three way air/water syringe
- Variable speed foot control
- Easy to read pressure gauge
- Quick disconnect
- Dimensions : 13 1/4" wide, 10 1/2" long and 7 1/2" tall, weight 14 lbs.

Model HS1 has one wet high speed hand piece, one dry low speed hand piece, and a three way air/water syringe.

2704.....\$3,350.00

Model HS2 has one wet high speed hand piece with fiberoptics, one dry low speed hand piece, and a three way air/water syringe.

2705.....\$3,695.00

Model HS3 has one wet high speed hand piece, one dry low speed hand piece, and a three way air/water syringe.

2706.....\$3,950.00

Model HS4 has one wet high speed hand piece with fiberoptics, one dry low speed hand piece, and a three way air/water syringe. Also includes a built in piezo scaler.

2709.....\$3,910.00

If a non-table top unit is desired, wall mounted on swing units are available.

2709A. HS4 on 8" arm.....\$4,050.00

2709B. HS4 on 12" arm.....\$4,050.00

2709C. HS4 on 16" arm.....\$4,050.00



Ultima Silent Surge Compressors

The quietest compressors on the market proven to last the test of time. The pumps are coated with teflon coated pistons to prevent friction and cooling fins to reduce heat, keeping operating noise to a minimum. Standard 4 gallon air holding tank and an automatic holding tank drain system available with 1/2 or 1 horsepower pumps. Backed by Ultima's exclusive 5 year warranty.



- DTP00566. Single Pump 1/2 HP\$2,226.00
- DTP00567. Double Pump 1 HP\$3,150.00

AirPac III Portable Two-Unit Compressor

1 HP oil-less motor runs 2 portable dental systems at the same time.

Built in wheels & pull handle in plastic case. Made in USA, not available in Canada.



- Maximum pressure: 90 PSI
- Air Storage Capacity: 1.0 Gal.
- Electrical: 110-120 Volt AC, 60 Hz 7.6 Amps
- Fuse: 15 Amps, 5 X 20 mm Quantity 1 (1 spare included)
- Air Delivery: 2.35 CFM at 90 PSI 3.80 CFM at 40 PSI
- Size: 17.93" W x 22.06" L x 10.43" H
- Weight: 41 lbs

5040.....\$2095.00

Transport III Portable Dental Unit

Powerful self contained electrical handpiece system for a multitude of dental applications including suction, highspeed, slowspeed, 3-way air/water syringe and endo functionality (8:1 ratio only). Easy to set up and operate. All components



pack into the impact-resistant carrying case with wheels. Quiet and powerful compressor. Accepts all E-Type handpieces w/internal irrigation. Handpieces not included. Allows individual components to be shipped for service rather than entire unit. Optional Built-In Piezo Scaler with LED & 3 tips Weighs 63 lbs. Made in USA.

- Portable Case with Electronic Control, Compressor, and Vacuum Pump
- Autoclavable 40,000 rpm Brushless Micromotor with internal irrigation
- E-type coupling & LED light source for Fiber Optic illumination
- HVE and Saliva Ejector Vacuum Hoses with Valves
- Water Supply and Air Reserve Bottles
- On/Off Footswitch
- Water connection for external scalers
- Four ratio settings: 1:5, 1:2, 1:1, 8:1
- Self contained air compressor
- Externally-mounting delivery module and user interface panel mount on secure handle, placing controls and instruments at a comfortable level
- Longer cords and tubing allow for improved work area reach
- Dual level fluid sensors enhance procedure planning by alerting tank is 75% full, and the full level sensor shuts compressor off
- Externally-mounting waste containers for fast and clean waste disposal
- Ergonomic autoclavable grip
- High and low volume suction
- Self contained water supply (1 liter bottle) or hook-up to external water system using standard hose fitting
- Compact and easy to clean console
- Dual voltage for world wide operation

4948.....\$9,450.00
4949 W/Piezo Scaler.....\$10,925.00

Portable Delivery System

Mounts directly on the Airpac compressor or remotely on a fold away tripod. Soft sided storage case attaches to the Airpac for ease of transport. Easy to set up and operate.



Features:

- Dual handpiece control with manual selection.
- One highspeed line with water flow control; one lowspeed line without water.
- Individual handpiece pressure adjustments.
- Quickconnect to external air source, such as a compressor or air tank
- Air pressure gauge
- Self contained water system
- 3-way air/water syringe
- 750 ml water reservoir
- Disc-type foot control
- Includes 6"x10" stainless steel instrument tray
- Includes padded carrying case and 25 ft. air line with quick disconnect
- Weight: 18 lbs
- Handpieces not included

5034.....\$1,795.00

5035. w/high volume vacuum (factory installed)\$2,425.00

5036. with fiberoptics\$3,095.00

Recommended Handpieces:

2710. Highspeed w/push button.....\$295.00

2711. Highspeed w/push button fiberoptics.....\$359.95

321. Lowspeed Air Motor E Type\$159.95


322. Lowspeed (1:1 Straight Handpiece).....\$128.50

Tips to Prevent Push-Button Cartridge Failure

1. Air-Pressure


The handpiece should be run by air-pressure up to 30 psi. The excessive air-pressure can easily shorten cartridge lifeby damaging ball-bearings.

2. Maintenance




Drive-air not sufficiently filtered accumulates oil, dirt and debris on impeller wings. Handpiece oil should be applied after every autoclave for lubrication and inside cleaning.

3. Chuck



When bur is pushed in or pulled off, the back cap must be pushed strong enough to fully open internal chuck. If you feel some resistance in sliding bur in or out the chuck is not fully opened and quickly loses its hold-ability.

4. Replacement



When cartridge is placed in the head of handpiece, the notch on the outer cartridge must go in the groove inside head. Failure to do so causes adeformed cartridge and leads to performance malfunction.

TPC Advanced Technology Portable Dental Systems



The PC2635 is a portable, self-contained air delivery system suitable for use in-office or wherever any on-site dentistry is required. Lightweight portable system that is easily transported. Compressor, air syringe, water supply and high and low speed handpieces are included. Packing Dimensions 23" x 17" x 18" and weighs 57 lbs.

Includes:

- 4 hole instrument tubing
- Tornado high and low speed handpieces
- 3 way syringe
- Self-contained water bottle system
- 3/4 HP oil-less compressor (580 W / 7 L)
- Foot control
- Automatic handpiece flush system
- Built-in carrying handle
- Telescoping pull handle

PC2635\$2,295.00

The PC2930 is fully a ready for travel self-contained air dental system that is quick and easy to setup and operate. Includes all handpieces with built in compressor, suction, piezo scaler and curing light in a wheeled transportation case with pull handle. Packing Dimensions 22" x 17" x 30" and weighs 60 lbs.



Includes:

- 4 hole instrument tubing
- Tornado high and low speed handpieces
- 3 way syringe
- Self-contained water bottle system
- 3/4 HP oil-less compressor (580 W / 7 L)
- Foot control
- Built-in Piezo Scaler and 5 tips
- Built-in curing Light
- Air venturi vacuum system and saliva ejector

PC2930\$3,295.00



The Piezo Advantage

- Precise, linear tip movement gently removes deposits - no hammering effect
- Ultimate in patient comfort
- Effective removal of hard deposits and biofilm
- Pulverizes deposits-lethal to bacteria
- Less hand scaling
- Easy to learn, paint brush technique
- No heat producing stacks - only enough irrigant needed to cool the tip
- Less spray and mess for patients
- Less aerosol produced - less bacteria in the air
- Greater visibility for the operator
- Easy to control water

KLAW Piezo Scaling Tips

The patented, state-of-the-art, KLAW® ultrasonic scaling tips, designed by a board-certified veterinary dental specialist, are the only periodontal debridement tips designed for veterinary medicine. Zirconium nitride coating strengthens tip & adds a smooth lubricant feel when scaling teeth. Water port provides direct flushing of the area being scaled, and keeps tip cool. Easily threaded onto the computerized Piezoelectric scaler handpiece, KLAW® tips will effectively perform PerioBUD and leave the healthiest teeth and periodontal tissues for veterinary dental patients. Works with all Inovadent, Satalec and Bonart ARTP4 and ARTP6 units.



Klaw® 1

A universal small instrument with a curved scaler tip designed for root surfaces. This curette design will eliminate hand scaling repetitive motion injuries and is useful for subgingival soft tissue curettage.

2324. Klaw® #1 Universal curved.\$95.50



Klaw® 2

A small instrument with a left 30-degree angle near the thin tip for ease of scaling difficult to reach areas. Designed for right mandibular buccal surfaces, left mandibular lingual surfaces, left maxillary buccal surfaces, and right maxillary lingual surfaces.

2325. Klaw® #2 Left 30 degree.\$95.50



Klaw® #3

A version of the KLAW® #2 with a right 30-degree angle near the tip for ease of scaling difficult areas. Designed for left mandibular buccal surfaces, right mandibular lingual surfaces, right maxillary buccal surfaces and left maxillary lingual surfaces.

2326. Klaw® #3 Right 30 degree.\$95.50



Klaw® 4

A straight universal instrument for use on all teeth surfaces, which is tapered with a tip angle of 110 degrees. This tip is ideal for interdental areas and with a sharpened blade is useful for root scaling.

2327. Klaw® #4 Straight universal.\$95.50



Klaw® 6

A longer shaft version of the Klaw® #4 with a wider diameter and heavy knurl and rounded tip which creates a more aggressive action for removing heavy supragingival calculus.

2329. Klaw® #6 Long straight universal, knurled tip\$95.50

Replacement Piezo Hand Piece

Works with "The Klaw" scaling tips designed specifically for veterinary use.

2332. For Inovadent Units.....\$268.00

Bonart PL3 Polisher Unit w/ E-type Micromotor

User friendly electric powered polisher system is lightweight and compact yet provides powerful polishing performance. Built in digital display of the motor rotational speed control from 0-35,000 RPM. Low speed with high torque and no heat generation of hand piece after prolonged use. Includes E-type low speed micromotor, straight handpiece attachment, stainless steel proph angle and foot pedal. Handpiece cable length 2.5m. Unit measures 19.2cm x 15.5cm X 8.5cm and weighs 3.7kg. Available in 110 volt. Other voltages by special order.



- PL3.....\$765.95
- Additional micromotor handpieces (35,000 RPM)
- BMTS. Straight nosecone.....\$159.95
- BMTE. E-type.....\$122.25



Bonart SP1 Scaler/Polisher Combo Unit

Magnetostrictive type combo unit provides the ease of use in scaling performance and low speed polishing function. No need for 2 individual units to perform each operation. With the simple press of the button the unit can function in either the scaling or polishing mode. Output power ranges from 10W TO 30W with working frequency of 24.5KHZ. Polisher speed from 0-35,000 RPM. Includes footswitch, E-type low speed micromotor, straight nosecone handpiece with stand, stainless steel proph angle, tubing with male disconnect and Streamline #10 25Khz insert. 2 year warranty on the internal PC board, 1 year warranty on the hand piece and motor, 90 day on the straight handpiece, 120 days on the insert tips. Works with any 25 Khz replacement inserts.



- SP1.....\$1,299.95

Delmarva Procedure Plus Polisher/Operative (formerly Motor Pack)

Stand alone polisher/operative with with Focused Illumination detachable handpiece. Variable speed micro motor allows for a wide RPM range for polishing, sectioning, drilling, or rounding fine surface procedures. Self-contained unit does not require a separate transformer pack for power. Precision handpiece is a sealed unit, generates no heat and re-quires no lubrication.



Reverse switch to untangle hair. Indestructible foot pedal allows hands free activation. Small foot print and modular design for easy stacking with the Veterinary Ultrasonic Scaler. Includes handpiece, 12 prophy cups, 12 prophy paste and a prophy angle. Made in the USA with 3 year warranty.

- 4711.....\$1,359.95

Delmarva Vantage Plus Ultrasonic Scaler with Polisher/Operative

Focused Illumination lights in both scaler and micro motor detachable handpieces. Variable speed micro motor allows for a wide RPM range for polishing, sectioning, drilling, or rounding fine surface procedures. Self-contained unit does not require a separate transformer pack for power. Precision handpiece is a sealed unit, generates no heat and re-quires no lubrication. Reverse switch to untangle hair. Indestructible foot pedal allows hands free activation.



Powerful 25k magnetostrictive frequency with automatic tuning recognizes and locks scaler inserts. Programmed power control knob provides the optimum energy with 30% power increase setting for that "extra boost" to remove tough calculus. Specialty settings for feline urethral catheter and periodontal inserts. Unique low water pressure warning light. Accepts all Cavitron® style 25K inserts. TFI #3 Thru Flow Insert, 12 prophy cups, 12 prophy paste, prophy angle, in-line water filter and quick release valve included. Additional inserts and water tank available separately. Made in the USA with 3 year warranty.

- 4712.....\$3,095.95

Micromax Brite Cordless Prophylaxis Unit With LED Handpiece

Built-in LED illuminates the oral cavity for easy operation. Cordless convenience offers complete portability. Heavy-duty high torque motor with automatic forward/reverse functions. Nine rotation speeds up to 1200 RPM available for different applications. Switch from rotary to reciprocating with a press of a button. High capacity lithium-ion battery. Four different attachments available choose from. Includes latch type attachment. 1 year warranty.



- 6065.....\$999.95
- 6066. Additional Latch Type Attachment.....\$199.95
- 6067. Screw Type Attachment.....\$199.95
- 6068. Snap-On Type Attachment.....\$199.95
- 6069. Straight Attachment.....\$199.95



6066



6068



6068



6067

BONART MEDICAL MAGNETOSTRICTIVE ULTRASONIC

**SCALERS
Economy M1**

Excellent quality at an affordable price. Turbo function increases power during scaling with one touch of a button.



From 10 to 30 Watts of output power during normal scaling speed. 18 month limited warranty on the internal electronic module. 1 year for hand piece and foot control. Available in 25Khz only. Includes 1 25Jhz IF5025 insert.

M1.....\$70495

AGC (Auto Gain Control) Systems

Unique "AGC" (Auto Gain Control) stabilizes the power setting and prevents stalling during scaling operation. Built in LCD digital screen displays the mode and power setting. Choose from scaling, perio and endo modes with one turn of the knob. Maximum power setting of 50 with auto tune system locks in the frequency and stabilizes power setting. Easy to access water control knob at the front control panel. System includes 1 plastic grip internal flow insert (IF50) and 1 metal grip external flow insert (P10), foot switch, hose and male quick disconnect. 5-year warranty on the internal electronic module, 1 year warranty on the hand piece assembly, and 120 days on the insert tips.



M3II30 30Khz.....\$929.95

**MAGNETOSTRICTIVE INSERT SCALING TIPS
(120 DAY WARRANTY)**

BONART (P-10) Series Cavitron Style Metal Ultrasonic Inserts

Quality crafted inserts compatible with all major brand scalers. External flow metal handle insert built to outlast its competitors. U.S. made materials of well-crafted stainless steel tips and nickel strip stem. Slim Line Furcation tips for better scaling in sensitive and hard to reach areas. Available in both 25Khz and 30Khz.



LEFT



STRAIGHT



RIGHT

- P1025. Straight Angled 25Khz\$81.95
- P1030. Straight Angled 30Khz\$81.95
- P1025L. Left Angled 25Khz\$81.95
- P1030L. Left Angled 30Khz.....\$81.95
- P1025R. Right Angled 25Khz.....\$81.95
- P1030R. Right Angled 30Khz.....\$81.95
- P10025. Straight Furcation Slim Line #100 25Khz\$81.95
- P10030. Straight Furcation Slim Line #100 30Khz\$81.95

Bonart Plastic Ultrasonic Inserts

Newly designed and patented internal flow insert features a silicone sleeve that allows more focused water spray preventing any splattering of excess water. Plastic handle insert for easier and stable grip. Compatible with all major brand scalers. Available in both 25Khz (blue) and 30Khz (beige).



- IF5025. Streamline #10 25Khz.....\$79.95
- IF5030. Streamline #10 30Khz.....\$79.95
- FS25. Slimline #100 universal 25Khz.....\$79.95
- FS30. Slimline #100 universal 30Khz.....\$79.95
- IF525. Beavertail plastic handle insert 25Khz\$79.95
- IF530. Beavertail plastic handle insert 30Khz.....\$79.95

Delmarva Veterinary Ultrasonic Scaler w/Illumination



Self-contained unit with detachable scaler handpiece with Focused Illumination. Does not require a separate transformer pack for power. Indestructible foot pedal allows the unit to be activated at will so both hands remain free. Powerful 25k magnetostrictive frequency with automatic tuning recognizes and locks scaler inserts. Programmed power control knob provides the optimum energy with 30% power increase setting for that "extra boost" to remove tough calculus. Specialty settings for feline urethral catheter and periodontal inserts. Unique low water pressure warning light. Accepts all Cavitron® style 25K inserts. TFI #3 Thru Flow Insert, in-line water filter and quick release valve included. Additional inserts and water tank available separately. Made in the USA with 3 year warranty.

- 4713.....\$2,295.95
- Scaling Inserts for Scaler and Scaler/Polisher :
- 4714. Thru Flow Insert #3 25k (included with Delmarva units)..\$199.95
- 4715. Thru Flow Insert #10 25K\$199.95
- 4716. Focus Spray Slim Line Periodontal Insert 25k\$217.95
- 4718. Portable Water Tank (1Gal tank equipped to connect to Delmarva female quick release).....\$116.95



4714



4716



4715




4718

DENTAL UNITS

BONART PIEZO ELECTRIC SCALERS

Both work with "The Claw" scaling tips designed specifically for veterinary use. Water ports are on the tip which provides direct flushing of the area being scaled. No need to apply pressure or press down as the tips do the work with a feather like touch. Tips also sold separately #s 2324-2329.

2323. Water tank 1 gallon (if needed for portability)\$84.95



Piper Compact Piezo Electric Scaler with LED

High quality portable system designed to meet the most demanding scaling environment. Auto Gain Control, which stabilizes and adjusts power settings for optimal performance. LED handpiece for enhanced visibility. Measures 7.68"(L) x3.38"(W) x3.27"(H) and weighs 3.5lbs. Includes 2 BS1, 1 BS2 and 1 BS3 tips. 5-year limited warranty on the internal electronic module; and 2 year warranty on the titanium auto-clavable hand piece, 120 days on tips

ARTP6.....\$749.95
 2333. Replacement non-LED handpiece (Bonart)\$129.95
 2693. Replacement LED handpiece(Bonart).....\$159.95

AGC (Auto Gain Control) Piezo Electric Scaler Systems



An improved model up to a maximum power setting of 50 with auto tune system that locks the frequency. "AGC" feature stabilizes the power setting and prevents stalling during scaling operation. Choose from scaling, perio and endo modes with one turn of the knob, with easy to access water control knob at the front control panel. LCD digital screen displays the mode and power setting.

Includes 2 LED handpieces, 2 BS1, 1 BS2 and 1 BS3 tips, 1 aluminum sterilization box, hose and male quick disconnect. 5-year limited warranty on the internal electronic module; and 2 year warranty on the titanium autoclavable hand piece, 120 days on tips.

P3II\$1,095.95
 2693. Replacement LED handpiece(Bonart).....\$159.95

BONART PIEZO SCALER TIPS

BE coded tips compatible with EMS systems and Bonart SP2. BS coded tips compatible with Bonart ARTP6, PSII, Satelec and Inovadent systems.



#1 Pointed Universal Tip

BE1\$39.95
 BS1\$39.95

Flat Crescent Tip-Designed for removal of no-resin ortho cements and supragingival calculus removal.



BE2.....\$39.95
 BS2\$39.95

Rounded Lingual Tip-No edges for gentle treatment of deep pocket irrigation and definitive scaling.



BE3.....\$39.95
 BS3\$39.95

Scalex Brite Piezo Ultrasonic Scaler with LED

State-of-the-art piezoelectric technology is self-tuning and load-adjusting for smooth and effortless operation. Advanced water-cooled circuitry designed for greater stability during operation. Futuristic touch sensitive panel technology. Autoclavable handpiece with built in LED light technology allows for direct illumination of the oral cavity. Wide selection of high quality tips to correspond with specific clinical applications. Ultrasonic Periotome available for cutting of the periodontal ligament for quicker extractions with minimal tissue damage and reducing the risk of bone damage. Includes 3 Universal A tips. 1 year warranty.



6070.....\$959.95
 6071. Additional LED Handpiece (works LED units only).....\$379.95

These tips work with the Scalex Brite and the Scalex Plus Piezo Ultrasonic Scaler/Micromotor Combination below.

6072. Endo Chuck Tip for root canal preparation and cleaning ..\$85.95
 6073. Universal A Tip for removal of all supragingival calculus ..\$56.25
 6074. Universal B Tip for calculus and interdental cleaning\$85.95
 6075. Chisel Tip for removal of supragingival heavy calculus.....\$56.25
 6076. Perio Tip for removal of deep perio calculus.....\$85.95
 6077. Periotome\$85.95

Scalex Plus Piezo Ultrasonic Scaler/Micromotor Combination

Unique and versatile multi purpose veterinary device. Contains a self-contained piezo ultrasonic scaler and an electric micro E-Type motor in one compact unit. Conveniently switch between scaler and micromotor at the touch of a button. Lightweight and streamlined autoclavable piezo handpiece and a variety of piezo scaler tips are available. Straight and contra angle attachments included for prophylaxis, grinding and polishing of animal's nails and shell with sterilizable coolant delivery tube. Variable speed ranges from 3,000 to 35,000 RPM with universal foot control accessible from 360°. Automatic cooling fan for continuous high speed performance. Large 1,000 ml solution tank with internal pump allows for convenient portability. Any type of irrigant can be used during procedures to meet all clinical needs. Wide selection of high quality tips to correspond with specific clinical applications. Ultrasonic Periotome available for cutting of the periodontal ligament for quicker extractions with minimal tissue damage and reducing the risk of bone damage. 1 year warranty.




6082.....\$1,849.95
 6083. Additional Piezo Handpiece (for Scalex Plus only)\$289.95
 6084. Additional Micromotor Handpiece\$274.95
 6085. Additional Straight Nose Cone Attachment.....\$179.95
 6086. Additional Contra Angle Attachment.....\$179.95

Zonix Ultrasonic Piezo Surgery Unit

New technology for bone surgery and is perfect for everyday use. Provides precision, safety, simplicity, and the highest quality to veterinarians. Wide LCD touch screen adjustable during operation. Foot switch foot lock function with menu of water, power and vibration adjust to keeps hands free. Includes autoclavable handpiece cable, tip, water connecting tube, handpiece holder, tray and 12 various stainless surgery tips including 4 bone saws, 2 bone harvesting, 3 apicoectomy, genioplasty, osteotome and sinus membrane elevator. 1 year warranty.

- Save up to 10 user programs with current settings.
- Built-in peristaltic pump helps water injection gently while in surgery.
- Automatic Protection Control: interrupts power and water supply in case of incorrect use of handpiece and insert tip.
- The clean function enables cleaning cycles to be carried out on the water circuit.
- Streamline designed handpiece provides perfect ergonomics during surgery.



6087.....\$6,995.00